

# Traction Design

## B729



The B729 is a drive tread pattern for on highway service. The B729 delivers long tread life and superior wet performance for on highway drive applications.  
*Available in NZ only.*

Size	B729220	B729230	B729250						
Base Width	220	230	250						
Tread Depth MM	21.0	21.0	21.0						

## Rock Lug Modified



An aggressive drive tread pattern that is designed for severe short haul and off - the - road applications. RLM has a deep skid depth that offers long mileage and increased penetration resistance

PO

Size	RLM203	RLM219	RLM233	RLM246					
Base Width	203	219	233	246					
Tread Depth MM	22.0	22.0	22.0	22.5					

## WH-Lug



WH-Lug is designed for slow speed short haul applications requiring maximum traction and is not recommended for high speed linehaul applications.

PO

Size	WHL211	WHL219	WHL236						
Base Width	211	219	236						
Tread Depth MM	20.6	22.2	22.2						

WA

**bandag**

PTY LTD

## BDE



BDE is a long lasting high performance drive pattern. It is designed to provide those extra kilometres that modern transport fleets require.

Size	BDE203	BDE219	BDE233	BDE250					
Base Width	203	219	233	250					
Tread Depth MM	19.0	19.0	19.0	18.5					

## BDLT



BDLT fearlessly delivers relentless traction, responsive handling and proven reliability.

Size	BDLT140	BDLT150	BDLT160	BDLT170	BDLT180				
Base Width	140	150	160	170	180				
Tread Depth MM	12.7	12.7	12.7	12.7	12.7				

## BDR-HT



Count on our new, uniquely designed BDR-HT to offer performance advantages over its competition. After thousands of kilometres of testing by leading fleets, the BDR-HT has proven to be a real winner.

Size	BDRHT210	BDRHT220	BDRHT230	BDRHT250					
Base Width	210	220	230	250					
Tread Depth MM	22.2	22.2	22.2	22.2					

## BDY



BDY is a directional drive tread designed for vehicles operating in harsh on/off road conditions such as logging, construction, quarrying and waste haul applications.

Size	BDY220	BDY230	BDY250						
Base Width	220	230	250						
Tread Depth MM	21	21	21						

WA

**bandag**

PTY LTD

## BPSD



A deep tread drive axle pattern for on/off highway use, the BPSD combines the traction needed on unsealed roads with the performance capabilities needed for highway conditions. *Available in NZ only.*

PO

Size	BPS D220	BPS D230	BPS D250						
Base Width	220	230	250						
Tread Depth MM	21.0	21.0	21.0						

## Cross Bar



Deep sculpted traction design offering excellent mileage and penetration resistance in both on and off-the-road drive axle applications.

PO

Size	CB127	CB142	CB152	CB165	CB174	CB184	CB194	CB203	CB219
Base Width	127	142	152	165	174	184	194	203	219
Tread Depth MM	12.0	12.5	12.5	13.5	13.5	15.0	15.0	15.0	15.0

## D4310



A deep all-weather drive axle tread. Delivers excellent mileage while meeting the traction requirements of normal linehaul applications.

Size	D4310194	D4310203	D4310219	D4310233	D4310250				
Base Width	194	203	219	233	250				
Tread Depth MM	16.5	16.5	16.5	16.5	16.5				

## HT22+



An exceptionally deep drive tread. Designed to deliver outstanding performance on quality casings.

*\* special applications only, contact Bandag for details.*

Size	HT22203	HT22219	HT22232						
Base Width	203	219	232						
Tread Depth MM	22.0	22.0	22.0						

WA

**bandag**

PTY LTD

## Lug Logger



An aggressive traction, drive axle tread engineered to provide maximum service under rigorous on-road and off-the-road conditions.

**P0**

Size	LL179	LL194	LL205						
Base Width	179	194	205						
Tread Depth MM	17.0	17.0	17.0						

## Highway Traction



Deep sculpted traction design offering excellent mileage and penetration resistance in both on and off-the-road drive axle applications.

**P0**

Size	HWT194	HWT203	HWT219	HWT233	HWT257	HWT295			
Base Width	194	203	219	233	257	295			
Tread Depth MM	18.0	17.5	18.0	17.5	18.0	17.5			

## Lug Trac



Lug Trac (LGT) is a deep and aggressive drive axle tread design that is suitable for short hauls and heavy loads. LGT will give you the traction and protection when you need it most.

**P0**

Size	LGT220	LGT230							
Base Width	220	230							
Tread Depth MM	22.5	22.5							

**WA**

**bandag**

PTY LTD

# RIB Design



## Rib Logger

A deep and durable pattern that is suitable for Drive and Trailer applications. Rib Logger is ideally suited to the harshest of road conditions.

P0

Size	RL203	RL219	RL233						
Base Width	203	219	233						
Tread Depth MM	17.0	17.0	17.0						



## Rib Trac Elite

Rib Trac Elite (RTE) is designed for tyres in applications that require a little more protection. Bandag RTE has super thick undertread, increased skid depth and unique stone ejection grooves that saves your valuable casings from damage.

PP

Size	RTE203	RTE219	RTE232						
Base Width	203	219	232						
Tread Depth MM	15.8	15.8	15.8						



## T4100

A dedicated trailer tread pattern that is designed to deliver outstanding mileage. This lightweight tread runs cool and extends casing life.

Size	T4100194	T4100203	T4100219	T4100233	T4100250				
Base Width	194	203	219	233	250				
Tread Depth MM	11.5	11.5	11.5	12.0	11.5				

WA

**bandag**

PTY LTD

## Rib Trac



An outstanding 4-Rib all-wheel-position tread with deep skid depth. Delivers superior mileage in heavy duty on and off-the road applications.

PP

Size	RT178	RT194	RT203	RT219	RT233	RT250			
Base Width	178	194	203	219	233	250			
Tread Depth MM	15.0	14.5	14.5	14.5	14.5	14.5			

## Bitumen Special



A 5-Rib design that provides excellent mileage and an outstanding penetration resistance. Performs brilliantly in waste haulage and bus applications.

Size	BS194	BS203	BS219	BS233					
Base Width	194	203	219	233					
Tread Depth MM	17.5	17.5	17.5	17.5					

## Brawny Rib



Brawny Rib delivers excellent mileage and outstanding performance in light truck applications.

Size	BRYR114	BRYR127	BRYR140	BRYR152	BRYR165				
Base Width	114	127	140	152	165				
Tread Depth MM	9.5	10.0	10.0	11.5	11.5				

## BRM



This unique, deep tread design is ideally suited to frequently stopping vehicles such as route buses and waste removal trucks.

Size	BRM210	BRM220	BRM230						
Base Width	210	220	230						
Tread Depth MM	20.5	20.5	20.5						

WA

**bandag**

PTY LTD

## Highway



Highway – A truly universal all-wheel-position rib tread with a history of proven performance.

Size	HW165	HW178	HW194	HW203	HW219	HW233			
Base Width	165	178	194	203	219	233			
Tread Depth MM	13.0	13.0	13.0	13.0	12.5	13.0			

## R4200



A 5-Rib Tread with ample tread depth. Delivers exceptional mileage in drive wheel applications that don't require above normal traction demands.

Size	R4200194	R4200203	R4200219	R4200233	R4200250				
Base Width	194	203	219	233	250				
Tread Depth MM	15.5	15.5	15.5	15.5	15.5				

**WA**

**bandag**

PTY LTD

# Specialty Design

## Modified Rib Logger



Suitable for Super Single and off-the-road applications, performs well under the most extreme conditions.

Size	MRL290	MRL325								
Base Width	290	325								
Tread Depth MM	17.0	17.0								

## All Terrain



All durable four-wheel-drive pattern suitable for all conditions.

Size	AT165									
Base Width	165									
Tread Depth MM	16.0									

## BAS 500



Specifically designed for 24R21 size tyres used for Airport Fire Services.

Size	BAS500									
Base Width	500									
Tread Depth MM	22.5									

## B857



The B857 is an all position tread for on/off highway use offering excellent mileage performance in Wide Base applications.

*Available in NZ only.*

Size	B857380									
Base Width	380									
Tread Depth MM	14.0									

## Wide Base Design

### Wide Single Modified



This advanced Wing design gives extra protection so that casing life can be increased, in addition to giving protection against tread edge tearing during cornering and tight manoeuvring.

Size	WSM290	WSM302								
Base Width	346	358								
Tread Depth MM	14.0	14.0								

### Wide Single



This Rib design is ideal for wide base service where outstanding mileage is an important criterion.

Size	WSE290									
Base Width	290									
Tread Depth MM	14.0									

**WA**

**bandag**

**PTY LTD**

## Wide Base Lug



An aggressive all-wheel-position tread offering excellent mileage and traction in Wide Base applications.

P0

Size	WBL405								
Base Width	405								
Tread Depth MM	18.5								

## Wide Base Rib



This Rib design tread is ideal for wide base services where outstanding mileage is an important criterion.

Size	WBR302	WBR325	WBR350						
Base Width	302	325	350						
Tread Depth MM	14.5	14.5	14.5						

WA

**bandag**

PTY LTD

# Off-road & Earthmover Design

## Grader



An extremely aggressive design for on and off-the-road applications.

PO

Size	GR300	GR330	GR415						
Base Width	300	330	415						
Tread Depth MM	26.0	28.5	36.5						

## Rock Boss



A deep, dynamic, hard pulling tread designed for drive axles in short haul and severe off-the-road applications. Exceptional mileage and penetration resistance.

PO

Size	RB305	RB395	RB440						
Base Width	305	395	440						
Tread Depth MM	27.0	27.0	32.0						

## Skid Steer Loader



A proven high performing tread designed for Skid Steer Loaders.

PO

Size	SSL245								
Base Width	245								
Tread Depth MM	22.0								

WA

**bandag**

PTY LTD

## Slick



Solid rubber, with no tread design. Slick treads have far greater resistance to cutting, chipping and abrasive wear than lug treads.

Size	SL204	SL210	SL300	SL395	SL440				
Base Width	204	210	295	395	440				
Tread Depth MM	12.5	21.0	19.5	31.0	31.0				

## BGLA




A proven high performing Grader tread designed to work best on radial casings.

PO

Size	BGLA330								
Base Width	330								
Tread Depth MM	28.5								

## BX Modified



A deep, dynamic, hard-pulling tread designed for drive axles in short haul and severe off-the-road applications, exceptional mileage and penetration resistance.

PO

Size	BX330	BX395							
Base Width	330	395							
Tread Depth MM	28.0	29.0							

WA

**bandag**

PTY LTD